



We recommend this product for all our flooring systems. Please call 1-800-381-8883 to purchase.

Liquid Cleaner

PPI CITRA-CLEANER is a specially formulated cleaner designed for removal of rubber skid marks from all types of industrial polymer flooring without harming the floor's surface. It may be used effectively and safely on epoxy, polyurethane or acrylic surfaces as well as steel-troweled concrete.

PPI CITRA-CLEANER is a powerful multi-purpose cleaner with an application profile to suit almost any industrial, transportation, or general plant, maintenance operation. Used at varying concentrations with water, PPI CITRA-CLEANER is very effective in the removal of grease, fats and oils, and dirt from almost any surface.

PPI CITRA-CLEANER is a water-soluble, heavy-duty product formulated with organic non-petroleum hydrocarbon solvents exhibiting very low orders of toxicity; it also contains a multi-component surfactant-emulsifier system to achieve superior cleaning and ease of rinsing.

TYPICAL PROPERTIES

Visual Appearance Clear yellow liquid

Odor: Citrus

Non-volatile: Approximately 40%

Phosphate: 0%

Biodegradable: Yes

Butyl Solvents: None

Flash-point: (Concentrate) 250°F (TCC)

PH: 6.5 - 7.0 (non-caustic)

Viscosity: Approximately 30 cps.

Density: 8.42 Lbs. / Gal.

CONTAINER SIZE

PPI CITRA-CLEANER is available in two sizes: 5-gallon plastic pail with a "Rieke" spout or a 55-gallon drum size.

SURFACE PREPARATION

Prime Polymers Inc. recommends first spot testing this cleaner in an inconspicuous area to determine if the cleaner attacks the floor.

APPLICATION INSTRUCTIONS

The installation procedures are as specific as possible. Contact Prime Polymers Inc. to deviate from these procedures when special circumstances arise in the field. Installation procedures for Prime Polymers Inc. base coat products can be found in their respective Product Data Sheets.

Cleaner PPI CITRA-CLEANER can be applied with a brush, mop, or spray equipment and is compatible with automatic scrubbers. Rubber Tire Marks - dilute one part PPI CITRA-CLEANER to one part water and apply directly onto the tire mark. Allow the solution to soften the tire mark for up to 15 minutes. Then scrub & rinse mop and bucket- dilute 1 part PPI CITRA-CLEANER with 10 parts water and apply. Mop-rinse with clean water.

Automatic Scrubbers – dilute one part PPI CITRA-CLEANER with 20 to 50 parts water, depending on the amount of soil present

SAFETY

Material Safety Data Sheets ship with the products. Prime Polymers Inc. recommends any personnel applying these types of materials or personnel in areas adjacent to where the materials are being applied should read and understand these prior to mixing and/or applying any material.

DISPOSAL

All materials should be disposed of in accordance with all federal, state and local regulations.

CAUTIONS

WARNING! USE WITH ADEQUATE VENTILATION. Use proper respiratory protection when required. Avoid contact with eyes, skin and clothing. Workers should wear gloves or protective creams. If skin contact occurs, wash at the first opportunity with soap and water. In the event of eye contact, **IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER. CALL A PHYSICIAN.**

WARNING! Skin or eye exposure or inhalation can result in serious medical problems! Keep container closed when not in use. DO NOT TAKE INTERNALLY! KEEP OUT OF THE REACH OF CHILDREN! FOR INDUSTRIAL USE ONLY.

WARRANTY & DISCLAIMER

THE TECHNICAL DATA AND OTHER PRINTED INFORMATION FURNISHED IS TRUE AND ACCURATE TO THE BEST OF OUR KNOWLEDGE. THE PRODUCTS ARE WARRANTED PURSUANT TO ACCEPTANCE OF "LIMITED WARRANTY," A COPY OF WHICH CAN BE OBTAINED FROM THE PRIME POLYMERS INC. COMPANY, WHICH IS THE EXCLUSIVE WARRANTY WITH RESPECT TO THE SALE OF THIS PRODUCT. THE MODIFICATION OF ANY COMPONENT OR USES NOT OUTLINED IN THIS BULLETIN NULLIFIES THE WARRANTY UNLESS ADVANCE WRITTEN CONFIRMATION IS OBTAINED FROM THE PRIME POLYMERS INC. COMPANY. NO OTHER WARRANTIES EXPRESSED OR IMPLIED SHALL APPLY. WE ASSUME NO RESPONSIBILITY FOR COVERAGE, PERFORMANCE OR INJURIES RESULTING FROM USE. LIABILITY IF ANY, SHALL BE TO SUPPLY REPLACEMENT MATERIALS AS SET FORTH IN THE "LIMITED WARRANTY."